

# Product Portfolio

Coated Two Side  
 Digital  
 Supercalendered  
 Uncoated Groundwood  
 Coated One Side

October, 2010  
 (Supersedes August, 2010)

## Contents

Grade	Level	Page
<b>C2S (Coated Two Side)</b>		
Centura®	Premium	2
Arbor Plus®	No. 2	2
ArborWeb Plus®	No. 2	2
Productolith®	No. 2	4
Productolith® Pts.	No. 2	4
Sterling® Ultra	No. 2	6
Anthem®	No. 3	6
ArborWeb®	No. 3	8
Fortune®	No. 3	8
Gusto®	No. 3	8
Orion®	No. 3	10
Vision®	No. 3	10
Escanaba®	No. 4	12
Dependoweb®	No. 4	12
Dependoweb® Arbor®	No. 4	14
Capri®	No. 4.5	14
Consoweb®	No. 5	16
Consoweb® Advantage	No. 5	18
Consoweb® Arbor®	No. 5	18
<b>Digital</b>		
Futura® Laser	Premium	20
Sterling® Ultra Digital™	No. 2	20
Productolith Pts. Digital®	No. 2	20
Blazer Digital®	No. 3	20
<b>Supercalendered</b>		
Voyager®	SC	22
Voyager® Arbor®	SC	22
Superior Gloss®	SC	22
<b>Uncoated Groundwood</b>		
Spartanweb Plus®	UnG	24
Spartanweb®	UnG	24
<b>C1S (Coated One Side)</b>		
Sterling® Ultra C1S	C1S	26
Sterling® Litho C1S	C1S	26
<b>Notes</b>		
Notes		28

## NewPage Product Portfolio – C2S

Grade	Level	Brightness	Gloss	Basis Weight			
				Sheets		Web	
				Text	Cover	Text	Cover
<b>Centura®</b>							
Centura gloss • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	Premium	96	77	80	80	80	80
				100	100 (9 pt.)**	100	—
				—	120	—	—
				—	130	—	—
Centura silk • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	Premium	96	52	80	80 (7 pt.)*	80	80 (7 pt.)*
				100	100 (9 pt.)**	100	—
				—	120	—	—
				—	130	—	—
Centura dull • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	Premium	96	32	80	80 (7 pt.)*	80	80 (7 pt.)*
				100	100 (9 pt.)**	100	—
				—	120	—	—
				—	130	—	—
Centura matte • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	Premium	96	20	70°	65 (7 pt.)*	70°	65 (7 pt.)*
				80	80 (9 pt.)**	80	80 (9 pt.)**
				100	100	100	—
				—	—	—	—
<b>Arbor Plus®</b>							
Arbor Plus gloss • 30% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 2	90	72	70°	80 (7 pt.)*	—	—
				80	100	—	—
				100	—	—	—
				—	—	—	—
Arbor Plus dull • 30% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 2	90	42	70°	80 (7 pt.)*	—	—
				80	100 (9 pt.)**	—	—
				100	—	—	—
				—	—	—	—
<b>ArborWeb Plus®</b>							
ArborWeb Plus gloss • 30% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 2	88 (50) 90 (60-100)	70 (50) 72 (60-100)	—	—	50°	—
				—	—	60	—
				—	—	70	65°
				—	—	80	80
				—	—	100	100 (9 pt.)***°
ArborWeb Plus dull • 30% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 2	90	40	—	—	60	—
				—	—	70	65°
				—	—	80	80 (7 pt.)*°
				—	—	100°	—
				—	—	—	—
ArborWeb Plus matte • 30% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 2	90	25	—	—	60	—
				—	—	70°	65°
				—	—	80	80°
				—	—	100°	—
				—	—	—	—

\* 7 pt. minimum for postal applications

\*\* 9 pt. minimum for postal applications

° Non-standard making item. Subject to minimum accumulation and trim.

## NewPage Product Portfolio – C2S

Grade	Level	Brightness	Gloss	Basis Weight			
				Sheets		Web	
				Text	Cover	Text	Cover
<b>Productolith®</b>							
<b>Productolith gloss</b> • Sheets contain 10% post-consumer recycled fiber • Sheets are Tri-certified (FSC, SFI, PEFC)	No. 2	88 (50-55) 90 (60-120)	70 (50-55) 72 (60-120)	—	—	50°	—
				—	—	55°	—
				60	65	60	—
				70	80 (7 pt.)*	70	65
				80	100 (9 pt.)**	80	80 (7 pt.)*
				100	120	100	—
<b>Productolith dull</b> • Sheets contain 10% post-consumer recycled fiber • Sheets are Tri-certified (FSC, SFI, PEFC)	No. 2	90	40 (web) 42 (sheets)	70	65°	60	—
				80	80 (7 pt.)*	70	65
				100	100 (9 pt.)**	80	80 (7 pt.)*
				—	120	100	—
				—	—	—	—
<b>Productolith matte</b> • Sheets contain 10% post-consumer recycled fiber • Sheets are Tri-certified (FSC, SFI, PEFC)	No. 2	90	25 (web) 30 (sheets)	60	—	60	—
				70	65 (7 pt.)*	70	65 (7 pt.)*
				80	80 (9 pt.)**	80	80 (9 pt.)**
				100	100	100	—
				—	—	—	—
<b>Productolith matte reply card</b> • Sheets contain 10% post-consumer recycled fiber • Sheets are Tri-certified (FSC, SFI, PEFC)	No. 2	90	15 (web) 25 (sheets)	105 (7 pt.)*	—	100 (7 pt.)*°	—
				—	—	—	—
<b>Productolith® Pts.</b>							
<b>Productolith Pts. semi-gloss C15</b> • Sheets contain 10% post-consumer recycled fiber • Sheets are Tri-certified (FSC, SFI, PEFC)	No. 2	90	45	—	105 (7 pt.)*	—	105 (7 pt.)*
				—	108 (8 pt.)	—	108 (8 pt.)
				—	124 (9 pt.)**	—	124 (9 pt.)**
				—	134 (10 pt.)	—	134 (10 pt.)
				—	157 (12 pt.)	—	157 (12 pt.)
				—	191 (14 pt.)	—	—
<b>Productolith Pts. semi-gloss C2S</b> • Sheets contain 10% post-consumer recycled fiber • Sheets are Tri-certified (FSC, SFI, PEFC)	No. 2	90	45	—	107 (7 pt.)*	—	107 (7 pt.)*
				—	118 (8 pt.)	—	118 (8 pt.)
				—	130 (9 pt.)**	—	130 (9 pt.)**
				—	145 (10 pt.)	—	145 (10 pt.)
				—	170 (12 pt.)	—	170 (12 pt.)
				—	198 (14 pt.)	—	—

Productolith Pts. web items require minimum accumulation and trim.

## NewPage Product Portfolio – C2S

Grade	Level	Brightness	Gloss	Basis Weight			
				Sheets		Web	
				Text	Cover	Text	Cover
<b>Sterling® Ultra</b>							
<b>Sterling Ultra gloss</b> • Sheets contain 10% post-consumer recycled fiber • Sheets are Tri-certified (FSC, SFI, PEFC)	No. 2	88 (50-55) 90 (60-10 pt.)	70 (50-55, 7 pt. HY) 72 (60-10 pt.)	60	65	—	—
				70	—	50°	—
				80	80 (7 pt.)*	55°	—
				—	—	60	—
				100	100 (9 pt.)**	70	—
				—	120	80	—
				—	—	90°	—
				—	—	100	—
				—	—	—	6 pt. (106 lb. T / 58 lb. C)
				—	—	—	7 pt.* HY (123 lb. T / 68 lb. C)
				—	—	—	7 pt.* (130 lb. T / 72 lb. C)
				—	—	—	8 pt. (138 lb. T / 76 lb. C)
				—	—	—	9 pt.** (154 lb. T / 85 lb. C)
<b>Sterling Ultra gloss C15</b>	No. 2	90	72	—	—	—	7 pt.*° (125 lb. T / 69 lb. C)
				—	—	—	8 pt. (133 lb. T / 73 lb. C)
				—	—	—	9 pt.**° (145 lb. T / 79 lb. C)
				—	—	—	10pt.° (157 lb. T / 84 lb. C)
<b>Sterling Ultra dull</b> • Sheets contain 10% post-consumer recycled fiber • Sheets are Tri-certified (FSC, SFI, PEFC)	No. 2	90	40 (web) 42 (sheets)	—	—	60	—
				70	65°	70	65
				80	80 (7 pt.)*	80	80 (7 pt.)*
				100	100 (9 pt.)**	100	—
				—	120	—	—
<b>Sterling Ultra matte</b> • Sheets contain 10% post-consumer recycled fiber • Sheets are Tri-certified (FSC, SFI, PEFC)	No. 2	90	25 (web) 30 (sheets)	60	—	60	—
				—	65 (7 pt.)*	—	—
				70	—	70	—
				80	80 (9 pt.)**	80	—
				100	100	100	—
				—	—	—	7 pt.* (114 lb. T / 63 lb. C)
				—	—	—	8 pt. (121 lb. T / 67 lb. C)
<b>Sterling Ultra matte reply card</b> • Sheets contain 10% post-consumer recycled fiber • Sheets are Tri-certified (FSC, SFI, PEFC)	No. 2	90	15 (web) 25 (sheets)	—	—	—	90 (7 pt.)*
				105 (7 pt.)*	—	—	100 (7 pt.)*°
				—	—	—	—
<b>Anthem®</b>							
<b>Anthem gloss</b> • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 3	88	67	60	—	—	—
				70	—	—	—
				80	80 (7 pt.)*	—	—
				100	100 (9 pt.)**	—	—
<b>Anthem matte</b> • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 3	88	30	60	65 (7 pt.)*	—	—
				70	—	—	—
				80	80 (9 pt.)**	—	—
				—	—	—	—
				100	100	—	—

\* 7 pt. minimum for postal applications

\*\* 9 pt. minimum for postal applications

° Non-standard making item. Subject to minimum accumulation and trim.

## NewPage Product Portfolio – C2S

Grade	Level	Brightness	Gloss	Basis Weight			
				Sheets		Web	
				Text	Cover	Text	Cover
<b>Anthem® continued</b>							
<b>Anthem matte reply card</b> • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 3	88	25	105 (7 pt.)*	—	—	—
<b>ArborWeb®</b>							
<b>ArborWeb gloss</b> • 30% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 3	86 (45-55) 88 (60-100)	70	—	—	45°	—
				—	—	50°	—
				—	—	55°	—
				—	—	60°	—
				—	—	70°	65°
<b>ArborWeb satin</b> • 30% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 3	86 (45-55) 88 (60-100)	35	—	—	80°	80°
				—	—	100	100°
				—	—	45°	—
				—	—	50°	—
				—	—	55°	—
<b>Fortune®</b>							
<b>Fortune gloss</b> • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 3	88	67	60	—	—	—
				70	—	—	—
				80	80 (7 pt.)*	—	—
				100	100 (9 pt.)**	—	—
<b>Fortune matte</b> • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 3	88	30	60	65 (7 pt.)*	—	—
				70	—	—	—
				80	80 (9 pt.)**	—	—
<b>Fortune matte reply card</b> • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 3	88	25	100	100	—	—
				105 (7 pt.)*	—	—	—
<b>Gusto®</b>							
<b>Gusto gloss</b>	No. 3	90	65	60	—	—	—
				70	—	—	—
				80	80 (7 pt.)*	—	—
				100	100 (9 pt.)**	—	—
<b>Gusto satin</b>	No. 3	90	25	60	—	—	—
				70	—	—	—
				80	80 (9 pt.)**	—	—
				100	100	—	—

\* 7 pt. minimum for postal applications

\*\* 9 pt. minimum for postal applications

° Non-standard making item. Subject to minimum accumulation and trim.

## NewPage Product Portfolio – C2S

Grade	Level	Brightness	Gloss	Basis Weight			
				Sheets		Web	
				Text	Cover	Text	Cover
<b>Orion®</b>							
Orion gloss	No. 3	86 (45-55) 88 (60-100)	70	—	—	45	—
				—	—	50	—
				—	—	55°	—
				—	—	60	—
				—	—	70	65
				—	—	80	80 (7 pt.)*
				—	—	90	—
Orion satin	No. 3	86 (45-55) 88 (60-100)	35	—	—	100	100 (9 pt.)**
				—	—	45	—
				—	—	50	—
				—	—	55°	—
				—	—	60	—
				—	—	70	65 (7 pt.)*
				—	—	80	80 (9 pt.)**
Orion satin reply card	No. 3	88	25	—	—	105 (7 pt.)*	—
				—	—	134 (9 pt.)**	—
Orion matte	No. 3	86 (50) 88 (60-100)	25	—	—	50	—
				—	—	60	—
				—	—	70	—
				—	—	80	—
				—	—	100	—
<b>Vision®</b>							
Vision gloss	No. 3	86 (45-55) 87 (60-100)	70	—	—	45	—
				—	—	50	—
				—	—	55	—
				—	—	60	—
				—	—	70	—
				—	—	80	—
Vision velvet	No. 3	86 (45-55) 87 (60-100)	35	—	—	100	—
				—	—	45	—
				—	—	50	—
				—	—	55	—
				—	—	60	—
				—	—	70	—
				—	—	80	—
—	—	100°	—				

\* 7 pt. minimum for postal applications

\*\* 9 pt. minimum for postal applications

° Non-standard making item. Subject to minimum accumulation and trim.

## NewPage Product Portfolio – C2S

Grade	Level	Brightness	Gloss	Basis Weight			
				Sheets		Web	
				Text	Cover	Text	Cover
<b>Escanaba®</b>							
Escanaba gloss	No. 4	82 (36-38)	58 (36)	—	—	36°	—
		83 (40)	60 (38)	—	—	38°	—
		84 (43-80)	62 (40)	—	—	40°	—
			65 (43)	—	—	43°	—
			66 (45)	—	—	45°	—
			68 (50-80)	—	—	50°	—
				—	—	55°	—
				—	—	60°	—
				—	—	70°	—
Escanaba dull	No. 4	82 (38-40)	36	—	—	38°	—
		84 (45-60)		—	—	40°	—
				—	—	45°	—
				—	—	50°	—
				—	—	60°	—
Escanaba matte	No. 4	83	25	—	—	45	—
Escanaba gloss gravure	No. 4	82	64 (36)	—	—	36°	—
			66 (38)	—	—	38°	—
			68 (40)	—	—	40°	—
			70 (45)	—	—	45°	—
				—	—	—	—
<b>Dependoweb®</b>							
Dependoweb gloss	No. 4	80 (36-43)	56 (36)	—	—	36°	—
		81 (45-80)	58 (38)	—	—	38°	—
			60 (40)	—	—	40°	—
			63 (43)	—	—	43°	—
			64 (45)	—	—	45°	—
			65 (50-80)	—	—	50°	—
				—	—	55°	—
				—	—	60°	—
				—	—	70°	—
Dependoweb matte	No. 4	80 (36-40)	14	—	—	36°	—
		81 (43-50)		—	—	38°	—
				—	—	40°	—
				—	—	43°	—
				—	—	45°	—
Dependoweb gloss gravure	No. 4	80 (36-43)	62 (36)	—	—	36°	—
		81 (45)	64 (38)	—	—	38°	—
			66 (40-45)	—	—	40°	—
				—	—	43°	—
				—	—	45°	—

## NewPage Product Portfolio – C2S

Grade	Level	Brightness	Gloss	Basis Weight			
				Sheets		Web	
				Text	Cover	Text	Cover
<b>Dependoweb® Arbor®</b>							
Dependoweb Arbor gloss • 30% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 4	80 (36-43) 81 (45-55)	56 (36) 58 (38) 60 (40) 63 (43) 64 (45) 65 (50-55)	—	—	36	—
				—	—	38	—
				—	—	40	—
				—	—	43	—
				—	—	45	—
				—	—	50	—
Dependoweb Arbor matte • 30% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 4	80 (36-40) 81 (45-50)	14	—	—	36	—
				—	—	38	—
				—	—	40	—
				—	—	45	—
				—	—	50	—
				—	—	55	—

Dependoweb Arbor items require minimum accumulation and trim.

<b>Capri®</b>							
Capri gloss	No. 4.5	76	52 (32-34) 54 (36) 58 (38) 60 (40) 62 (45-60)	—	—	32	—
				—	—	34	—
				—	—	36	—
				—	—	38	—
				—	—	40	—
				—	—	45	—
				—	—	50	—
				—	—	55	—
Capri silk	No. 4.5	76	30	—	—	32	—
				—	—	34	—
				—	—	36	—
				—	—	38	—
				—	—	40	—
Capri gloss gravure	No. 4.5	76	52 (32) 56 (34) 58 (36) 60 (38) 62 (40-45)	—	—	32	—
				—	—	34	—
				—	—	36	—
				—	—	38	—
				—	—	40	—
				—	—	45	—

Capri items require minimum accumulation and trim.

## NewPage Product Portfolio – C2S

Grade	Level	Brightness	Gloss	Basis Weight			
				Sheets		Web	
				Text	Cover	Text	Cover
<b>Consoweb®</b>							
Consoweb gloss	No. 5	70.5 (30)	42 (30)	—	—	30	—
		71 (32-34)	46 (32)	—	—	32	—
		72 (36)	48 (34)	—	—	34	—
		73 (38-45)	50 (36)	—	—	36	—
			52 (38-40)	—	—	38	—
			54 (45)	—	—	40	—
				—	—	45	—
Consoweb gloss gravure	No. 5	72 (30-32)	54 (30)	—	—	30	—
		73 (34-45)	56 (32)	—	—	32	—
			60 (34-38)	—	—	34	—
			62 (40-45)	—	—	36	—
				—	—	38	—
				—	—	40	—
Consoweb HiBulk gloss	No. 5	70 (26-28)	36 (26)	—	—	26	—
		70.5 (30)	38 (28)	—	—	28	—
		71 (32-34)	42 (30)	—	—	30	—
		72 (36)	44 (32)	—	—	32	—
		73 (38)	46 (34)	—	—	34	—
			48 (36)	—	—	36	—
			50 (38)	—	—	38	—
Consoweb HiBulk gloss gravure	No. 5	72	52 (28-30)	—	—	28	—
			54 (32)	—	—	30	—
			58 (34-38)	—	—	32	—
				—	—	34	—
				—	—	36	—
		—	—	38	—		

Consoweb items require minimum accumulation and trim.

## NewPage Product Portfolio – C2S

Grade	Level	Brightness	Gloss	Basis Weight			
				Sheets Text	Cover	Web Text	Cover
<b>Consoweb® Advantage</b>							
Consoweb Advantage gloss	No. 5	71 (28-30)	46 (28)	—	—	28	—
		72 (32)	48 (30)	—	—	30	—
		73 (34-40)	50 (32-34)	—	—	32	—
			52 (36-40)	—	—	34	—
				—	—	36	—
				—	—	38	—
				—	—	40	—
Consoweb Advantage items require minimum accumulation and trim.							
<b>Consoweb® Arbor®</b>							
Consoweb Arbor gloss • 30% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 5	71 (32-34)	46 (32)	—	—	32	—
		72 (36)	48 (34)	—	—	34	—
		73 (38-45)	50 (36)	—	—	36	—
			52 (38-40)	—	—	38	—
			54 (45)	—	—	40	—
Consoweb Arbor gloss gravure • 30% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 5	73	56 (32)	—	—	32	—
			60 (34-38)	—	—	34	—
			62 (40)	—	—	36	—
				—	—	38	—
				—	—	40	—

Consoweb Arbor items require minimum accumulation and trim.

## NewPage Product Portfolio – Digital

Grade	Level	Brightness	Gloss	Basis Weight			
				Sheets		Rolls	
				Text	Cover	Text	Cover
<b>Futura® Laser</b>							
Futura Laser gloss • Tri-certified (FSC, SFI, PEFC)	Premium	96	65	80	80 (7 pt.)*	—	—
				100	100 (9 pt.)**	—	—
				—	120	—	—
Futura Laser dull • Tri-certified (FSC, SFI, PEFC)	Premium	96	32	80	80 (7 pt.)*	—	—
				100	100 (9 pt.)**	—	—
				80	80 (9 pt.)**	—	—
Futura Laser matte • Tri-certified (FSC, SFI, PEFC)	Premium	96	20	80	80 (9 pt.)**	—	—
				100	100	—	—
				—	—	—	—
<b>Sterling® Ultra Digital™ – Digital Imaging &amp; Production Toner Sheets</b>							
Sterling Ultra Digital gloss • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 2	90	72	80	—	—	—
				—	80 (7 pt.)*	—	—
				100	100 (9 pt.)**	—	—
Sterling Ultra Digital dull • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 2	90	42	—	—	—	—
				80	80 (7 pt.)*	—	—
				100	100 (9 pt.)**	—	—
Sterling Ultra Digital matte • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 2	90	30	80	80 (9 pt.)**	—	—
				—	—	—	—
				—	—	—	—
Note: Text basis weights to be used for paper estimating on caliper covers. Cover weights are approximate.							
<b>Sterling® Ultra Digital™ – HP Indigo Sheets</b>							
Sterling Ultra Digital for HP Indigo gloss • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 2	90	72	80	80 (7 pt.)*	—	—
				100	100 (9 pt.)**	—	—
				—	—	—	—
Sterling Ultra Digital for HP Indigo dull • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 2	90	42	80	80 (7 pt.)*	—	—
				100	100 (9 pt.)	—	—
				—	—	—	—
<b>Productolith Pts. Digital®</b>							
Productolith Pts. Digital semi-gloss C1S • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 2	90	45	—	134 (10 pt.)	—	—
				—	157 (12 pt.)	—	—
				—	191 (14 pt.)	—	—
Productolith Pts. Digital semi-gloss C2S • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 2	90	45	—	145 (10 pt.)	—	—
				—	—	—	—
				—	—	—	—
<b>Blazer Digital®</b>							
Blazer Digital gloss • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 3	88	70	80	80 (7 pt.)*	—	—
				100	100 (9 pt.)**	—	—
				—	—	—	—
Blazer Digital matte • 10% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	No. 3	88	28	80	80 (9 pt.)**	—	—
				100	100	—	—
				—	—	—	—

## NewPage Product Portfolio – Supercalendered

Grade	Level	Brightness	Gloss	Basis Weight			
				Text	Cover	Text	Cover
<b>Voyager®</b>							
Voyager gloss • FSC-certified available	SC-A+	70 (28-32)	45 (28)	—	—	28	—
		71 (34-40)	46 (30)	—	—	30	—
			47 (32-36)	—	—	32	—
			48 (38-40)	—	—	34	—
				—	—	36	—
				—	—	38	—
Voyager gloss gravure • FSC-certified available	SC-A+	70 (28-32)	43 (28)	—	—	28	—
		71 (34-40)	44 (30)	—	—	30	—
			46 (32)	—	—	32	—
			47 (34-36)	—	—	34	—
			48 (38-40)	—	—	36	—
				—	—	38	—
Voyager items require minimum accumulation and trim.							
<b>Voyager® Arbor®</b>							
Voyager Arbor gloss • 30% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	SC-A+	70 (28-32)	45 (28)	—	—	28	—
		71 (34-40)	46 (30)	—	—	30	—
			47 (32-36)	—	—	32	—
			48 (38-40)	—	—	34	—
				—	—	36	—
				—	—	38	—
Voyager Arbor gloss gravure • 30% post-consumer recycled fiber • Tri-certified (FSC, SFI, PEFC)	SC-A+	70 (28-32)	43 (28)	—	—	28	—
		71 (34-40)	44 (30)	—	—	30	—
			46 (32)	—	—	32	—
			47 (34-36)	—	—	34	—
			48 (38-40)	—	—	36	—
				—	—	38	—
Voyager Arbor items require minimum accumulation and trim.							
<b>Superior Gloss®</b>							
Superior Gloss	SC-A	67 (28-30)	45 (28)	—	—	28	—
		68 (33-38)	46 (30)	—	—	30	—
			47 (33-35)	—	—	33	—
			48 (38)	—	—	35	—
				—	—	38	—
Superior Gloss gravure	SC-A	67 (28-30)	42 (28)	—	—	28	—
		68 (33-38)	43 (30)	—	—	30	—
			46 (33)	—	—	33	—
			47 (35)	—	—	35	—
			48 (38)	—	—	38	—
Superior Gloss items require minimum accumulation and trim.							

## NewPage Product Portfolio – Uncoated Groundwood

Grade	Level	Brightness	Gloss	Basis Weight			
				Sheets		Web	
				Text	Cover	Text	Cover
<b>Spartanweb Plus®</b>							
Uncoated	UnG	68	—	—	—	30	—
				—	—	33	—
				—	—	35	—
				—	—	38	—
Spartanweb Plus items require minimum accumulation and trim.							
<b>Spartanweb®</b>							
Uncoated	UnG	64	—	—	—	30	—
				—	—	33	—
				—	—	35	—
				—	—	38	—
Spartanweb items require minimum accumulation and trim.							

## NewPage Product Portfolio – C1S

Grade	Level	Brightness	Gloss	Basis Weight			
				Sheets		Rolls	
				Text	Cover	Text	Cover
<b>Sterling® Ultra C1S</b>							
Sterling Ultra C1S	C1S	89	75 (60) 72 (70-100)	60	—	—	—
				70	—	—	—
				80	—	—	—
				95	—	—	—
				100	—	—	—
<b>Sterling® Litho C1S</b>							
Sterling Litho C1S	C1S	83	75 (60) 72 (70-100)	60	—	—	—
				70	—	—	—
				80	—	—	—
				90	—	—	—
				100	—	—	—

## NewPageCorp.com

### Samples:

exsamples@NewPageCorp.com

800-638-3313

Headquartered in Miamisburg, Ohio, NewPage Corporation is the largest coated paper manufacturer in North America, based on production capacity, with \$3.1 billion in net sales for the year ended December 31, 2009. The company's product portfolio is the broadest in North America and includes coated freesheet, coated groundwood, supercalendered, newsprint and specialty papers. These papers are used for corporate collateral, commercial printing, magazines, catalogs, books, coupons, inserts, newspapers, packaging applications and direct mail advertising.

NewPage owns paper mills in Kentucky, Maine, Maryland, Michigan, Minnesota, Wisconsin and Nova Scotia, Canada. These mills have a total annual production capacity of approximately 4.4 million tons of paper, including approximately 3.2 million tons of coated paper, approximately 1.0 million tons of uncoated paper and approximately 200,000 tons of specialty paper.



**NewPage Corporation**  
8540 Gander Creek Drive  
Miamisburg, OH 45342  
877-855-7243